Build your own home, with Deeside Timberframe

Self build housetype collection and bespoke service



Making a dream home, a reality...







Donna and Neil Allan had always dreamed of living in a house that ticked all the boxes on their wish list. Deeside offered the whole package.

The couple looked into self-build, subscribing to specialist publications and visiting self-build shows. They compared different construction methods but opted for timber frame because of its traditional appearance and the cost-savings. The Allans chose Deeside Timberframe, which gave not only the most competitive price but also a very detailed specification.

"Deeside offered the whole package and gave us enormous choice in terms of finish, from the skirtings, doors and window frames right down to the door handles. There were no delays whatsoever. They were very organized and made us feel like we were the only people building a new home. Our architect was also impressed!" Donna Allan.

Interested in building your own home?

Contact us for more information and we can through our bespoke solutions to suit your lifestyle needs.

HEAD OFFICE

Deeside Timberframe Ltd Broomhill Road, Spurryhillock Industrial Estate, Stonehaven, Aberdeenshire AB39 2NH

Tel: 01569 767123 Fax: 01569 767766

Email us at: info@deesidetimberframe.com www.deesidetimberframe.com






















Floor Plan

Lounge Kitchen Family Bedroom 1 En-Suite	4.15m x 4.1 3.70m x 2.9 2.99m x 2.3 3.14m x 3.0 2.36m x 0.9	99m 76m 00m	Bedroom 2 Bedroom 3 Bathroom Utility	3.24m x 2.73m 3.00m x 2.48m 2.99m x 1.75m 1.99m x 1.45m
Floor Area	: 94.83sqm	Fron	ntage - 13.7m	Depth - 7.7m








Ground Floor Plan

First Floor Plan

Lounge	4.31m x 4	.10m	Bedroom 4	3.90m x 3.50m
Kitchen	4.53m x 3	.60m	Bathroom	2.47m x 2.37m
Dining	3.60m x 3	3.43m	Utility	3.30m x 1.56m
Bedroom 1	4.10m x 3	.25m	En-Suite	3.25m x 1.19m
Bedroom 2	5.23m x 3	.25m	W.C.	2.04m x 1.15m
Bedroom 3	4.91m x 2	.92m		
Floor Area: 1	53.15sam	Fronta	age - 11.90m	Depth - 8.30m
			J	








First Floor Plan

Lounge	4.58m x 4.44	m Bedroom 1	3.71m x 3.75m
Kitchen	3.68m x 3.00	m En-Suite	1.93m x 1.98m
Dining	4.58m x 2.70	m Bedroom 2	3.43m x 3.28m
Utility	1.80m x 1.78	m Bedroom 3	2.55m x 3.03m
W.C.	1.80m x 1.15	m Bedroom 4	3.28m x 2.70m
Vestbule	1.80m x 1.80	m Bathroom	2.20m x 1.97m
Floor Area:	156 62sam	Frontage - 10.70m	Depth - 9.6m
FIOOI AICa.	130.0234111	riontage - 10.70iii	Depuii - 3.0iii





Floor Plan

Lounge	4.67m x 4	.20m	Bedroom 4/Stud	y 2.63m x 2.40m
Kitchen/Family	6.59m x 3	.40m	Utility	2.73m x 1.60m
Bedroom 1	3.70m x 3	.06m	Bathroom	2.44m x 1.80m
Bedroom 2	3.60m x 2	.70m	En-Suite	3.06m x 1.10m
Bedroom 3	3.28m x 2	.40m		
Floor Area: 1	17 0sam	Front	age - 15.5m	Depth - 8.3m
1100171164. 1			age 15.5	Бериг 0.5








Ground Floor Plan


First Floor Plan

Lounge 5.67m x 3.40m Master Bedroom 4.50m x 3.40m Kitchen 3.66m x 3.26m En-Suite 2.03m x 1.90m Dining 3.26m x 2.92m Bedroom 2 4.64m x 2.80m Utility 3.26m x 1.65m Bedroom 3 3.83m x 3.40m W.C. 1.92m x 0.82m Bedroom 4 2.99m x 2.82m Garage 5.30m x 2.82m Bathroom 2.50m x 1.90m

Floor Area: 145.9sqm (inc. garage @ 14.97sqm) Frontage - 8.91m Depth - 9.51m







First Floor Plan

Ground Floor Plan

 Lounge
 4.00m x 4.15m
 Bedroom 2
 3.40m x 3.10m

 Kitchen
 4.00m x 3.42m
 Bedroom 3
 3.90m x 3.15m

 Bathroom
 2.20m x 1.70m
 Bedroom 4
 3.90m x 3.10m

 Bedroom 1
 3.10m x 3.20m
 Bathroom
 3.17m x 1.95m






Floor Plan

Lounge	5.43m x 4.43m	Bedroom 1	4.10m x 3.85m
Kitchen/Breakfast	6.47m x 3.60m	En-Suite	3.03m x 1.60m
Dining	3.53m x 2.93m	Bedroom 2	3.73m x 3.03m
Family	3.60m x 3.47m	Bedroom 3	3.70m x 2.90m
Utility	4.25m x 1.70m	Bedroom 4	3.30m x 3.03m
Bathroom	3.03m x 2.73m	Garage	5.85m x 5.33m
W.C.	1.70m x 1.53m		

Floor Area: 200.90sqm (inc. garage floor area @ 31.2sqm) Frontage - 18.5m Depth - 17.3m









Ground Floor Plan

First Floor Plan

Lounge	4.50m x 4.10m	Family	4.19m x 3.10m
Kitchen/Breakfast	5.70m x 3.50m	Dining	3.80m x 3.10m
Bedroom 1	4.16m x 4.00m	Utility	3.50m x 1.90m
Bedroom 2	4.00m x 3.00m	Bathroom	3.50m x 3.05m
Bedroom 3	3.70m x 3.00m	En-Suite	3.29m x 2.80m
Bedroom 4	3.70m x 2.90m	W.C.	1.50m x 0.80m
Floor Area: 18	4 8sam Front	tage - 11.4m	Depth - 9.80m
11001711611.10	osq	age IIIII	Берит У.ООП








Ground Floor Plan

First Floor Plan

Lounge	5.16m x 3.68m	Master Bedroom	3.98m x 3.68r
Kitchen/Breakfast	5.94m x 3.23m	En-Suite	2.40m x 2.19n
Sitting Room	3.65m x 3.44m	Bedroom 2	4.20m x 3.68r
Sun Lounge	3.86m x 3.35m	Bedroom 3	3.59m x 3.68r
Study	3.68m x 3.23m	Bedroom 4	3.68m x 3.17n
Utility	2.97m x 1.65m	Bathroom	3.17m x 2.19m
Vestibule	1.10m x 1.53m	W.C.	1.65m x 1.50n

Floor Area: 182.62sqm (inc. sun lounge @ 11.62 sqm) Frontage - 14.68m Depth - 10.2m






Floor Plan

Lounge	6.11m x 4.19m	Bedroom 2	2 24	x 3.24m
Kitchen	4.05m x 2.80m	Bedroom 3		x 2.65m
Dining	4.57m x 2.69m	Utility		x 1.65m
Family	2.79m x 2.62m	Bathroom	3.35m	x 2.06m
Bedroom 1	3.99m x 3.34m	En-Suite	1.65m	x 1.55m
		Garage	5.49m	x 5.77m
Floor Area: 163.06sqm	(inc. garage @ 31.7sqm)	Frontage - 16.	26m	Depth - 12.5m







Ground Floor Plan

First Floor Plan

Lounge	4.82m x 4.04m	Bedroom 1	5.33m x 4.07m
Kitchen	3.59m x 3.80m	En-Suite	2.50m x 1.20m
Family	4.69m x 3.29m	Bedroom 2	2.90m x 2.90m
Dining	3.38m x 3.05m	Bedroom 3	2.90m x 2.77m
Utility	2.36m x 2.21m	Bedroom 4	2.90m x 2.56m
W.C.	1.80m x 1.10m	Bathroom	2.25m x 1.80m






Ground Floor Plan

First Floor Plan

Lounge	7.34m x 4.39m	Bedroom 4	3.70m x 3.10m
Kitchen/Breakfast	3.67m x 2.70m	Bedroom 5	3.60m x 2.63n
Dining	3.10m x 2.70m	Bathroom	2.22m x 2.00n
Family	4.39m x 3.60m		
Utility	2.50m x 2.20m	Optional Granny	/ Flat
W.C.	1.80m x 0.90m	Lounge	3.44m x 2.68n
Bedroom 1	3.76m x 3.43m	Kitchen	4.30m x 2.76n
En-Suite	2.22m x 1.43m	Bedroom	4.00m x 2.78n
Bedroom 2	3.43m x 2.78m	En-Suite	2.07m x 1.48m
E/S Dress	2.30m x 2.22m	W.C.	1.92m x 0.82m
Bedroom 3	3.60m x 3.10m		

Floor Area: 183.99sqm (exc. optional Granny flat 39.93sqm) Frontage - 13.2m (exc. optional Granny flat: 4.655m) Depth - 8.41m







Floor Plan

Lounge	6.60m x 4.00m	Bedroom 4	3.30m x 2.89m
Kitchen/Family	6.48m x 4.19m	Bathroom	2.60m x 1.95m
Dining	3.90m x 3.00m	Utility	3.06m x 1.70m
Bedroom 1	4.39m x 3.23m	En-Suite	3.06m x 1.71m
Bedroom 2	3.90m x 3.07m	W.C.	1.70m x 1.10m
Bedroom 3	3.90m x 2.80m		

Floor Area: 172.12sqm (inc. sun lounge area @ 12.56sqm) Frontage - 18.50m Depth - 14.28m







Ground Floor Plan

First Floor Plan

Lounge	6.17m x 4.39m	Bedroom 1	5.04m x 4.70n
Kitchen/Family	5.00m x 3.67m	Bedroom 2	3.60m x 3.60n
Dining	3.20m x 2.90m	Bedroom 3	3.02m x 3.14m
Utility	2.27m x 1.65m	Bedroom 4	2.95m x 2.50m
Garage	5.34m x 3.09m	Bathroom	2.40m x 2.30n
W.C.	1.88m x 0.90m	En-Suite	2.50m x 1.40m

Floor Area: 156.62sqm (inc. garage @ 16.50sqm) Frontage - 10.50m Depth - 10.4m

Self build your new home, with our unique designs...

Deeside Timberframe is one of Scotland's top manufacturers and suppliers of timber frame homes for the self build market. We have a comprehensive range of timber frame home styles and designs suitable to provide all the comforts and practicalities of modern life.

Deeside Timberframe's range of beautiful home designs for self build offer all customers high functionality and comfort. Our brochure house plans and more complex bespoke house plan designs give our clients a broad range of options to choose from so that they build a home that suits their specific needs.

At Deeside Timberframe our priority is to meet and exceed customers' expectations, providing them with a high quality of service and the home of their dreams.

That is why we are the supplier of choice for timber frame self build homes in Scotland.

Our experienced team is on hand to guide you through the process of turning your dream home into a reality, from the planning stages all the way through to final construction.

Creating your dream home...

Our objective is to ensure the self build process is successful and enjoyable for our clients. We offer a variety of Timber Frame Home Design plans to suit all our customers' needs, including our innovative eco^{tf} timber frame solution. Choose the approach that which suits you best;

Choose our popular standard house types or develop it to your exact requirement

You may love our existing designs exactly as they are or require changes to meet your precise vision, living requirements or planning requirements. We are happy to work with you and make the appropriate adaptations to our standard drawings.

Working from your own drawings & plans

Some clients may already have their own plans or drawings in place. We are happy to work with you and your chosen architect if this is the case*.

Bespoke Design Architect Service

We also provide a bespoke design & architectural service where we will explore your own ideas in conjunction with our team to develop your proposals into drawings and plans.*

The fees for our bespoke design service depend on

eco timber frame solution

wall and roof panel solution is an innovative, bespoke approach to building an environmentally friendly and sustainable home. Discover more at www.ecotf.com

* A design charge may be applicable in the above cases.





Specification

Ground Floor

Concrete Slab By Others.

DPC Polythene DPC (to BS 6515) Soleplate 38 x 89 / 140mm CLS.

Fixings 80mm Hilti Hamma Fixings @ 900mm cts.

First Floor

Floor Joists 45 x 220mm W/W pre-cut to length @ required cts. Floor Dwangs 45 x 220mm / 45 x 70mm / 38 x 50mm W/W.

Locating Plate 22 x 90 / 140mm W/W.

Flooring 22mm Moisture Resistant T & G Chipboard.

Fixings Collated Screws & PVA adhesive.

External Wall Panels

Top & Bottom Rail 38 x 140mm CLS

Studs 38 x 140mm CLS @ 600mm cts.

Headbinder 38 x 140mm CLS. Lintols As required by design. Sheathing 9mm OSB (Factory Fitted).

Breather Paper Protect TF200 Reflective - (Factory Fitted)
Fire Stops 38 x 50mm W/W, supplied in long lengths.

Internal Load Bearing Partitions

Top & Bottom Rail 38 x 89mm CLS

Studs 38 x 89mm CLS @ 600mm cts.

Headbinder 38 x 89mm CLS
Lintols As required by design.
Dwangs 1no row of 38 x 89mm CLS.

Racking Partitions

As Internal Load Bearers with 9mm OSB sheathing to one side and dwangs omitted.

Internal Non Load Bearing Partitions

Top & Bottom Rail 45 x 70mm W/W.

Studs 45 x 70mm W/W @ 600mm cts.
Dwangs 1no rows of 45 x 70mm W/W.

Roof

Trusses Pre-fabricated trusses at 600mm cts.

Apex Panels As per external wall panels.

Gable Ladders Pre-fabricated c/w 20mm Barge & 9mm ply soffit. Wind Bracing 22 x 100mm W/W, supplied in long lengths.

Sarking 9mm OSB.

Roofing Felt Protect Wunderlay & 5U eaves felt

Valley Boards 9 x 200mm OSB. Counter Battens 12 x 50mm W/W. Tiling Battens 25 x 50mm W/W.

Fascia 20 x 195mm Redwood c/w 10mm over fascia vents.

Soffit 9mm WBP Ply.

Fixings All clips, shoes & straps as required by design.

Water Tank Support Included to DTL standard detail.

Misc Items

Meter Board

Cylinder Stool Included to DTL standard detail.

Loft Hatch 1no pre-fabricated insulated hatch (562 x 726mm)

1no included to DTL standard detail.

Windows - (Averaged U Value 1.4W/m2K)

High Performance Redwood Fully Reversible, Low E double glazed argon filled units c/w trickle vents, chrome handles, pre-fitted fire stops to jambs & base coat preservative finish.

External Doors - (Averaged U Value 1.4W/m2K)

Front - Nordan "Kensington" door c/w 3 point locking, letter plate, factory finished Teak.

Rear - Nordan "Stirling" door c/w 3 point locking, Cotswold glass & factory finished Teak. French/ Patio - Redwood, base coat preservative, double glazed c/w chrome handles.

Internal Doorset

John Carr 'Camden' white primed, 2 panel door pre-hung in redwood doorframe c/w stops to match finishing's, with all associated locks & latches

Feature Doorsets - (to Vestibule)

John Carr 'Camden' white primed, pre-glazed 6 pane door pre-hung in redwood doorframe c/w stops to match finishing's, with all associated locks & latches.

Finishing's

Skirtings 14 x 95mm agee profile red pine. Facings 14 x 70mm agee profile red pine.

Window Cills 20 x 195mm red pine. Aprons 19 x 45mm red pine.

Stairs

Stringers & Hand Rail Red Pine.

Newels 82mm "Colonial" Turned Red Pine. Spindles 41mm "Colonial" Turned Red Pine.

Treads & Risers 22m MDF / 9mm ply.

Shelving

Wardrobes 1no MDF shelve c/w pine lip & haffit
Cupboards 3no MDF shelves c/w pine lip.
Cloaks 1no MDF shelve c/w pine lip.
Linen 2no shelves from dressed W/W slats.

Ironmongery

Handles "Solitaire" chrome Levers on round rose.

Cupboards Chrome 'D' Handles.

Rails Chrome Rail to each wardrobe & associated fixings.

Plasterboard

External Walls 12.5mm TE Duplex. Internal Walls 12.5mm TE Plain.

Showers 12.5mm TE Moisture Resistant

Ceilings 12.5mm TE Plain.

Insulation

External Walls 140mm Frametherm Roll 40 - (0.040 W/mK)

Ground Floor By Others.

Loft 280mm Frametherm Roll 40 (2 x 140mm) - (0.040W/mK)

All Internal Partitions 25mm Acoustic Partition Roll.

Coombes 170mm Kingspan TP10 - (0.023W/mK)

First Floor 100mm Acoustic Roll

Structural Timber

All structural timbers are stress graded and comply with all British Standards and the regulations of the National House Building Council.

Structural Ironmongery

Stainless Steel Wall ties, truss clips, anchor straps, nails, brads & screws.

Note: Deeside Timberframe Limited reserve the right to alter and amend this specification at any time as they deem necessary.

Note: All prices contained within our brochure exclude sun lounges, and glazing bars to windows. Which can be added should they be required.

Note: Deeside Timberframe Ltd can provide architectural planning & warrant drawings for our brochure houses, which may incur an additional cost.

Note: All prices contained within our brochure exclude delivery, costs will be advised once we have a confirmed location for each project.

Note: The designs in this brochure may require to be modified to meet the revised Building Regulations issued in 2010.